



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB25GMT Starry Varius





DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB25GMT Starry Varius

Technical specifications

Name:	DB25GMT Starry Varius
Reference:	DB25VGR
Functions:	Hours, Minutes, Second time zone (GMT), Day/night indicator, Jumping date
Movement:	DB2507
Type:	Mechanical hand-wound movement
Adjustment:	Winding, setting the local and travel time (GMT) by means of the crown (3 positions) - Secure bidirectional systems Via a corrector at 6 for the date hand (clockwise)

Technical features of calibre DB2507

Number of parts:	368
Jewelling:	40 jewels
Diameter:	30 mm
Power reserve:	5 days, ensured by a self-regulating twin barrel <i>A De Bethune Innovation (2004)</i>
Specificities:	Titanium balance wheel with white gold inserts, optimised for temperature differences and air penetration <i>De Bethune Patent (2016)</i> "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i> Silicon escape wheel Microsphere Day/night indicator in rose gold and blued steel similar decoration technic of the spherical moon phase – <i>De Bethune Patent (2004)</i> Triple <i>pare-chute</i> shock-absorbing system <i>De Bethune Innovation (2005)</i>
Frequency:	28,800 vibrations per hour
Adornment:	Curved mirror-polished steel plate cover Steel barrel bridge cover, mirror-polished and adorned with "Côtes <i>De Bethune</i> " enhanced with microlight decoration in its center – <i>De Bethune innovation 2016</i> Hand snailed barrels Hand-polished, chamfered steel parts



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

Display

Display: Hand-polished curved hands in rose gold
Hand-polished flamed-blued date hand with polished end
Day/night indicator in rose gold 5N and blued steel of the microsphere – similar decoration technic of the spherical moon phase – *De Bethune Patent (2004)*
date

Dial and flanges: Curved date ring in blued titanium with gold transfer
Silver curved hour ring
Rose gold curved minute ring
Silver 24h sub-dial with two-tone decals
Central dial in 2 parts : blue polished titanium with white gold pins/ radiant silver microlight decoration with a sunburst insert in polished rose gold

Case and strap

Case material: Rose gold 5N
Case diameter: 42 mm
Case thickness: 11,8 mm
Lugs: Integrated, hollowed lugs
Crystal: In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Case back: Open back in rose gold 5N and sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Water-resistance: 3 ATM
Strap: Extra-supple alligator leather, alligator lining
Buckle: Pin buckle in rose gold 5N