



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

**DB25GMT Starry Varius**





**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

## **DB25GMT Starry Varius**

### Technical specifications

Name:	DB25GMT Starry Varius
Reference:	DB25VGTIS3
Functions:	Hours, Minutes, Second time zone (GMT), Day/night indicator, Jumping date
Movement:	DB2507
Type:	Mechanical hand-wound movement
Adjustment:	Winding, setting the local and travel time (GMT) by means of the crown (3 positions) - Secure bidirectional systems Via a corrector at 6 for the date hand (clockwise)

### ***Technical features of calibre DB2507***

Number of parts:	368
Jewelling:	40 jewels
Diameter:	30 mm
Power reserve:	5 days, ensured by a self-regulating twin barrel <i>A De Bethune Innovation (2004)</i>
Specificities:	Titanium balance wheel with white gold inserts, optimised for temperature differences and air penetration <i>De Bethune Patent (2016)</i>  "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i>  Silicon escape wheel  Microsphere Day/night indicator in rose gold and blued steel similar decoration technic of the spherical moon phase – <i>De Bethune Patent (2004)</i>  Triple <i>pare-chute</i> shock-absorbing system <i>De Bethune Innovation (2005)</i>
Frequency:	28,800 vibrations per hour
Adornment:	Curved mirror-polished steel plate cover Steel barrel bridge cover, mirror-polished and adorned with "Côtes De Bethune" enhanced with microlight decoration in its center – <i>De Bethune innovation 2016</i> Hand snailed barrels Hand-polished, chamfered steel parts



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

### **Display**

Display:	Hand-polished flamed-blued steel curved hands Hand-polished flamed-blued date hand with polished end Day/night indicator in rose gold 5N and blued steel of the microsphere – similar decoration technic of the spherical moon phase – <i>De Bethune Patent (2004)</i> date
Dial and flanges:	Silver-toned curved date ring with polished and blue markers Silver curved hour ring Rose gold curved minute ring Silver 24h sub-dial with two-tone decals Central dial in 2 parts : blue polished titanium with white gold pins/ radiant silver microlight decoration with a sunburst insert in polished rose gold

### **Case and strap**

Case material:	Titanium
Case diameter:	42 mm
Case thickness:	11,8 mm
Lugs:	Integrated, hollowed lugs
Crystal:	In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Case back:	Open back in polished titanium and sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Water-resistance:	3 ATM
Strap:	Extra-supple alligator leather, alligator lining
Buckle:	Pin buckle in titanium