



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

**DB28xs Purple Rain**  
Technical specifications





**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

## **DB28xs Purple Rain**

### Technical specifications

Name:	DB28xs Purple Rain
Reference:	DB28XsPR
Function:	Hours, Minutes
Movement:	DB2005
Type:	Mechanical hand-wound movement
Adjustment:	Winding and setting the time by means of the crown (2 positions)

#### ***Technical features of calibre DB2005***

Number of parts:	160
Jewelling:	27 jewels
Diameter:	30 mm
Power reserve:	6 days, ensured by a self-regulating twin barrel – <i>De Bethune Innovation (2004)</i>
Specificities:	Titanium balance with white gold inserts, optimised for temperature differences and air penetration – <i>De Bethune Patent (2016)</i>  "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i>  Silicon escape wheel  Triple <i>pare-chute</i> shock-absorbing system <i>De Bethune Innovation (2005)</i>
Frequency:	28,800 vibrations/hour
Adornment:	Hand-crafted finishing and decoration



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

***Display***

Display: Polished titanium hands

Dial: Purple titanium plate hours and minutes ring with transferred Arabic numerals  
Random *guilloché* purple titanium dial (world's first)  
Starry sky with white gold stars

***Case and strap***

Case material: Purple polished grade 5 titanium

Case diameter: 38.7 mm

Case thickness: 7.4 mm

Lugs: Purple polished grade 5 titanium floating lugs – *De Bethune Patent (2006)*

Crystal: Sapphire (1,800 Vickers hardness) with double anti-reflective coating

Caseback: Sapphire (1,800 Vickers hardness) with double anti-reflective coating  
Engraved ring circular satin-finish titanium  
Purple titanium plate with “microlight” decoration

Water resistance: 3 ATM

Strap: Extra-supple alligator leather with alligator lining / Canvas

Buckle: Purple grade 5 titanium buckle and pin