

DE BETHUNE

L'ART HORLOGER AU XXI^E SIÈCLE

DB28 Skybridge

Technical specifications



DE BETHUNE

L'ART HORLOGER AU XXI^E SIÈCLE

DB28 Skybridge

Technical specifications

Name:	DB28 Skybridge
Reference:	DB28CEN / S
Functions:	Hours, Minutes, Spherical moon phase indication at 6 o'clock
Movement:	DB2105v6
Type:	Mechanical hand-wound movement
Adjustment:	Winding, setting the spherical moon phase and the time by means of the crown (3 positions)

Technical features of calibre DB2105v6

Number of parts:	242
Jewelling:	27 jewels
Diameter:	30 mm
Power reserve:	6 days, ensured by a self-regulating twin barrel <i>De Bethune Innovation (2004)</i>
Specificities:	Silicon annular balance encircled by a white gold ring <i>De Bethune Patent (2010)</i> "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i> Silicon escape wheel Spherical moon phase indication accurate to a degree of one lunar day every 122 years – <i>De Bethune Patent (2004)</i> Triple pare-chute shock-absorbing system blued <i>De Bethune Innovation (2005)</i>
Frequency:	28,800 vibrations per hour
Adornment:	Curved, mirror-polished and blued grade 5 titanium plate cover Mirror-polished grade 5 titanium barrel bridge cover, Hand snailed barrels Hand-polished, flame-blued and chamfered steel parts

DE BETHUNE

L'ART HORLOGER AU XXI^E SIÈCLE

Display

Display:	Mirror-polished flame-blued stainless steel hands Spherical moon phase indication in palladium and flamed-blued steel accurate to a degree of one lunar day every 122 years at 6 o'clock – De Bethune Patent (2004)
Dial :	De Bethune star-studded sky in blued and polished titanium with hand-fitted white gold and diamonds pins depicting the stars Mirror-polished steel spherical hour-markers Sandblasted silver minutes ring

Case and strap

Case material:	Mirror-polished grade 5 titanium
Case diameter:	45 mm
Case thickness:	11,5 mm
Lugs:	Short or long floating lugs in mirror-polished grade 5 titanium – <i>De Bethune Patent (2006)</i>
Crystal:	In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Case back:	Screwed down open back in polished grade 5 titanium and sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Water resistance:	3 ATM
Strap:	Extra-supple alligator leather, alligator lining
Buckle:	Pin buckle in mirror-polished grade 5 titanium