



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DBD Season 2

Technical specifications





DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DBD Season 2

Technical specifications

Name:	DBD Season 2
Reference:	DBDSB
Functions:	Digitally displayed jumping hours, minutes – calendar indicating days, date and months
Movement:	DB2044
Type:	Mechanical manual-winding calibre
Adjustment:	Winding and setting the time by means of the crown (2 positions) Setting the day, date and month by 3 correctors

Technical features of calibre DB2044

Number of parts:	309
Jewelling:	29 jewels
Diameter:	30 mm
Power reserve:	5 days, ensured by a self-regulating twin barrel <i>De Bethune Innovation (2004)</i>
Specificities:	Titanium balance wheel with white gold inserts, optimized for temperature differences and air penetration <i>De Bethune Patent (2016)</i> "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i> Silicon escape wheel Triple <i>pare-chute</i> shock-absorbing system <i>De Bethune Innovation (2005)</i>
Frequency:	28,800 vibrations per hour
Adornment:	Chamfered and polished silver plate cover Barrel bridge cover adorned with " <i>Côtes De Bethune</i> " Hand-snailed barrels Hand-polished, chamfered steel parts



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

Display

Display: Jumping hour window at 6 o'clock
Analogical minute indicator on rotating disc
Day, date and month jumping window

Dial : Burgundy dial with "Côtes de Genève"
Hour, minute, day, date and month discs in anthracite, silvered relief

Case and strap

Case material: Anthracite polished zirconium

Case diameter: 42.6 mm

Case thickness: 9,4 mm

Lugs: cone-shaped lugs

Crystal: In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating

Case back: Open case back in anthracite polished zirconium
Sapphire crystal (1800 Vickers hardness) with double anti-reflective coating

Water-resistance: 3 ATM

Strap: Textile and extra-supple alligator leather, alligator lining

Buckle: Anthracite polished zirconium with burgundy grade 5 titanium pin