



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

**DB25 Moon Phase**  
Technical specifications





**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

## **DB25 Moon Phase**

### Technical specifications

Name:	DB25 Moon Phase
Reference:	DB25LWS1V1
Functions:	Hours, Minutes, Spherical moon phase indication at 12 o'clock, Power reserve situated on the back
Movement:	DB2105V1
Type:	Mechanical hand-wound movement
Adjustment:	Winding, setting the spherical moon phase and the time by means of the crown (3 positions)

### **Technical features of calibre DB2105V1**

Number of parts:	305
Jewelling:	29 jewels
Diameter:	30 mm
Power reserve:	6 days, ensured by a self-regulating twin barrel <i>De Bethune Innovation (2004)</i>
Specificities: studs	Titanium and platinum balance wheel with blom De Bethune Patent (2008)  "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i>  Silicon escape wheel  Spherical moon phase indication accurate to a degree of one lunar day every 122 years – <i>De Bethune Patent (2004)</i>  Triple <i>pare-chute</i> shock-absorbing system <i>De Bethune Innovation (2005)</i>
Frequency:	28,800 vibrations per hour
Adornment:	Silver plate and barrel bridge cover adorned with "Côtes De Bethune" Hand snailed barrels Hand-polished, chamfered steel parts



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

### ***Display***

Display:	Hand-polished flame-blued steel curved hands Spherical moon phase indication in palladium and flamed-blued steel with an accuracy of one lunar day every 122 years at 12 o'clock – De Bethune Patent (2004)
Dial :	Silver-toned hand-guilloch�, with 12 radiating sectors De Bethune star-studded sky in blued mirror-polished steel, inlaid with rose gold stars Silver curved hour and moon phase rings with black relief Roman numerals

### ***Case and strap***

Case material:	White gold
Case diameter:	44 mm
Case thickness:	11,2 mm
Lugs:	Integrated, hollowed lugs
Crystal:	In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Case back:	Open back in polished rose gold and linear power reserve on the back Sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Water-resistance:	3 ATM
Strap:	Extra-supple alligator leather, alligator lining
Buckle:	Pin buckle in white gold