

# DE BETHUNE

L'ART HORLOGER AU XXI<sup>E</sup> SIÈCLE

## DB28GS Grand Bleu

Technical specifications



# DE BETHUNE

L'ART HORLOGER AU XXI<sup>E</sup> SIÈCLE

## DB28GS Grand Bleu

Technical specifications

Name:	DB28GS Grand Bleu
Reference:	DB28GSV2AN
Functions:	Hours, Minutes, Seconds, Power reserve indication between 9 and 10 o'clock, unidirectional rotating bezel, manual dial lighting
Movement:	DB2080
Type:	Mechanical hand-wound movement
Adjustment:	Winding and setting the time by means of the crown (2 positions), push button at 6 o'clock to activate the lightening

### Technical features of calibre DB2080

Number of parts:	400
Jewelling:	51 jewels
Diameter:	30 mm
Power reserve:	5 days, ensured by a self-regulating twin barrel <i>De Bethune Innovation (2004)</i>
Specificities:	Titanium/white gold balance wheel with white gold inserts, optimised for temperature differences and air penetration <i>De Bethune Patent (2016)</i>  "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i>  Silicon escape wheel  Triple <i>pare-chute</i> shock-absorbing system <i>De Bethune Innovation (2005)</i>  Dial lighting produced by an entirely mechanical means working on the dynamo principle powered by a twin barrel and manually controlled via a pusher <i>De Bethune Innovation (2019)</i>
Frequency:	28,800 vibrations per hour
Adornment:	Mirror- polished grade 5 titanium motion-work bridge Plate and barrel bridge covers in hand-smoothed grade 5 titanium and adorned with "Microlight engraving" <i>De Bethune Innovation (2007)</i> Hand-snailed barrels Hand-polished and chamfered steel parts

# DE BETHUNE

L'ART HORLOGER AU XXI<sup>E</sup> SIÈCLE

## **Display**

Display:	Blued titanium hours and minutes hands with polished steel insert and second blued steel insert, luminescent tip Polished steel seconds hand with luminescent tip Power-reserve indicator between 9 and 10 o'clock
Dial:	Satin-brushed grade 5 titanium minutes dial with cut-out Arabic numerals Rotating bezel crystal with metallised minutes ring

## **Case and strap**

Case material:	Black zirconium case middle with "Microlight" decoration, brushed and polished grade 5 titanium caseback and bezel
Case diameter:	44 mm
Case thickness:	12.8 mm
Lugs:	Floating lugs in brushed grade 5 titanium – <i>De Bethune Patent (2006)</i>
Crystal:	In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Case back:	open in brushed grade 5 titanium
Water resistance:	10 ATM
Strap:	Natural rubber strap + 1 canvas / leather strap
Buckle:	Folding clasp in brushed grade 5 titanium