



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB28XP Starry Sky





DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB28XP Starry Sky

Technical specifications

Name:	DB28XPV2
Reference:	DB28XPTIS3V2
Function:	Hours, Minutes
Movement:	DB2115v7
Type:	Mechanical hand-wound movement
Adjustment:	Winding and setting the time by means means of the crown (2 positions)

Technical features of calibre DB2115v7

Number of parts:	165
Jewelling:	27 jewels
Diameter:	30 mm
Power reserve:	6 days, ensured by a self-regulating twin barrel, <i>De Bethune Innovation (2004)</i>
Specificities:	Titanium balance with white gold inserts, optimised for temperature differences and air penetration – <i>De Bethune Patent (2016)</i> "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i> Silicon escape wheel
Frequency:	28,800 vibrations/hour
Adornment:	Hand-crafted finishing and decoration



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

Display

Display: Polished pink gold hands
Dial: Silver-toned hours ring with transferred Arabic numerals
Transferred circular satin-brushed titanium minutes ring
Titanium dial with “microlight” decoration – *De Bethune Innovation (2007)*
Starry sky with white gold stars
Dial featuring an opening revealing the balance, surrounded by a chamfered polished steel rim

Case and strap

Case material: Polished grade 5 titanium with “microlight” case middle
Case diameter: 43 mm
Case thickness: 7.2 mm
Lugs: Polished grade 5 titanium floating lugs – *De Bethune Patent (2006)*
Crystal: Sapphire (1,800 Vickers hardness) with double anti-reflective coating
Caseback: Solid, in polished grade 5 titanium
Engraved ring in blued circular satin-finish titanium
Titanium plate with “microlight” decoration and De Bethune logo
Water resistance: 3 ATM
Strap: Extra-supple alligator leather with alligator lining
Buckle: Grade 5 titanium buckle and pin