# **DE BETHUNE**

L'ART HORLOGER AU XXIE SIÈCLE

## **DB28 Tourbillon**

Technical specifications





#### L'ART HORLOGER AU XXIE SIÈCLE

### **DB28 Tourbillon**

Technical specifications

Name: DB28 Tourbillon Reference: DB28TJTIN / S

Functions: Hours, Minutes, 30'' indicator via the ultra-light De Bethune

tourbillon cage at 6 o'clock, Power reserve situated on the

back

Movement: DB2019

Type: Mechanical hand-wound movement

Adjustment: Using the crown (2 positions) for winding, and setting the

time

#### Technical features of calibre DB2019

Number of parts: 282

Jewelling: 39 jewels Diameter: 30 mm

Power reserve: 5 days, ensured by a self-regulating twin barrel

De Bethune Innovation (2004)

Specificities: Silicon escape wheel encircled with a white gold ring

De Bethune Patent (2010)

"De Bethune" balance-spring with flat terminal curve

De Bethune Patent (2006)

Silicon escape wheel

Ultra-light De Bethune 30'' tourbillon in silicon and titanium

De Bethune Innovation (2008)

Frequency: 36'000 vibrations per hour

Adornment: Hand-polished steel parts

hand-crafted finishing and decoration

# DE BETHUNE L'ART HORLOGER AU XXIE SIÈCLE

## Display

Display: Hand-polished stainless steel hands

Ultra-light De Bethune 30'' tourbillon in silicon and titanium

at 6 o'clock – De Bethune Innovation (2008)

Dial and flanges: De Bethune star-studded sky in blued and polished

titanium with hand-fitted white gold and diamonds pins

depicting the stars

Diamond-set titanium hours ring (0.013 cts)

12 cabochon-cut sapphire hours indicators (0.48 cts)

#### Case and strap

Case material: Grade 5 titanium set with 56 baguette-cut and 288 round-

cut diamonds totalling 4.37 cts

Case diameter: 42.60 mm Case thickness: 9.20 mm

Lugs: Short or long floating set with 239 baguette-cut and 535

round-cut diamonds totaling 6.02cts - De Bethune Patent

(2006)

Crystal: In sapphire crystal (1800 Vickers hardness) with double anti-

reflective coating

Case back: Closed and screwed down case back in mirror-polished

grade 5 titanium that opens on a linear power reserve in

rose gold 5N

Sapphire crystal (1800 Vickers hardness) with double anti-

reflective coating

Water resistance: 3 ATM

Strap: Extra-supple alligator leather, alligator lining

Buckle: Pin buckle in mirror-polished grade 5 titanium set with 146

round-cut diamonds totalling 0.46 cts