



DE BETHUNE

L'ART HORLOGER AU XXI^E SIÈCLE



DB28XP V2

Technical specifications

Name:	DB28XPV2
Reference:	DB28XPTIS3V2
Function:	Hours, Minutes
Movement:	DB2115v7
Type:	Mechanical hand-wound movement
Adjustment:	Winding and setting the time by means means of the crown (2 positions)



DE BETHUNE

L'ART HORLOGER AU XXI^E SIÈCLE

Technical features of calibre DB2115v7

Number of parts:	165
Jewelling:	27 jewels
Diameter:	30 mm
Power reserve:	6 days, ensured by a self-regulating twin barrel, <i>De Bethune Innovation (2004)</i>
Specificities:	Titanium balance with white gold inserts, optimised for temperature differences and air penetration – <i>De Bethune Patent (2016)</i>
	"De Bethune" balance-spring with flat terminal curve – <i>De Bethune Patent (2006)</i>
	Silicon escape wheel
Frequency:	28,800 vibrations/hour
Adornment:	Hand-crafted finishing and decoration

Display

Display:	Polished pink gold hands
Dial:	Silver-toned hours ring with transferred Arabic numerals Transferred circular satin-brushed titanium minutes ring Titanium dial with "microlight" decoration – <i>De Bethune Innovation (2007)</i> Starry sky with white gold stars Dial featuring an opening revealing the balance, surrounded by a chamfered polished steel rim

Case and strap

Case material:	Polished grade 5 titanium with "microlight" case middle
Case diameter:	43 mm
Case thickness:	7.2 mm
Lugs:	Polished grade 5 titanium floating lugs – <i>De Bethune Patent (2006)</i>
Crystal:	Sapphire (1,800 Vickers hardness) with double anti-reflective coating
Caseback:	Solid, in polished grade 5 titanium Engraved ring in blued circular satin-finish titanium Titanium plate with "microlight" decoration and De Bethune logo
Water resistance:	3 ATM
Strap:	Extra-supple alligator leather with alligator lining
Buckle:	Grade 5 titanium buckle and pin