

DE BETHUNE

L'ART HORLOGER AU XXI^E SIÈCLE

DB28 Grand Sport Technical specifications



DB28 Grand Sport
Technical specifications

Name:	DB28 Grand Sport
Reference:	DB28GSV1AN / S
Functions:	Hours, Minutes, Performance indication between 2 and 3 o'clock
Movement:	DB2115v2
Type:	Mechanical hand-wound movement
Adjustment:	Winding and setting the time by means of the crown (2 positions)

Technical features of calibre DB2115v2

Number of parts:	263
Jewelling:	35 jewels
Diameter:	30 mm
Power reserve:	6 days, ensured by a self-regulating twin barrel <i>De Bethune Innovation (2004)</i>
Specificities:	Titanium balance wheel with white gold inserts, optimised for temperature differences and air penetration <i>De Bethune Patent (2016)</i> "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i> Silicon escape wheel Triple <i>pare-chute</i> shock-absorbing system <i>De Bethune Innovation (2005)</i>
Frequency:	28,800 vibrations per hour
Adornment:	Mirror-polished grade 5 titanium motion-work bridge Plate and barrel bridge covers in hand-smoothed grade 5 titanium and adorned with "Microlight engraving" <i>De Bethune Innovation (2007)</i> Hand snailed barrels Hand-polished and chamfered steel parts

DE BETHUNE

L'ART HORLOGER AU XXI^E SIÈCLE

Display

Display:	Hand-smoothed grade 5 titanium with hand-polished flame-blued steel hours hand Hand-polished flame-blued steel minutes hands Performance indication between 2 and 3 o'clock
Dial:	Hand-smoothed grade 5 titanium minute ring with blue relief Arabic numerals

Case and strap

Case material:	Hand-smoothed grade 5 titanium
Case diameter:	44 mm
Case thickness:	11,2 mm
Lugs:	Short or long floating lugs in hand-smoothed grade 5 titanium – <i>De Bethune Patent (2006)</i>
Crystal:	In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Case back:	Screwed down closed back in hand-smoothed grade 5 titanium
Water resistance:	10 ATM
Strap:	De Bethune rubber strap
Buckle:	Pin buckle in hand-smoothed grade 5 titanium