



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

## **DB28 Tourbillon Deadbeat Seconds**

Technical specifications





**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

## **DB28 Tourbillon Deadbeat Seconds**

### Technical specifications

Name:	DB28 Tourbillon Deadbeat Seconds
Reference:	DB28STTS1PN / S
Limitation:	Limited edition of 20 pieces
Functions:	Hours, Minutes, Central Deadbeat Second, 30'' indicator via the ultra-light De Bethune tourbillon cage and Power reserve at 6 o'clock
Movement:	DB2119
Type:	Mechanical hand-wound movement
Adjustment:	Winding and setting the time by means of the crown (2 positions)

### **Technical features of calibre DB2119**

Number of parts:	333
Jewelling:	45 jewels
Diameter:	30 mm
Power reserve:	4 days, ensured by a self-regulating twin barrel <i>De Bethune Innovation (2004)</i>
Specificities:	Silicon annular balance encircled by a white gold ring <i>De Bethune Patent (2010)</i>  "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i>  Silicon escape wheel  Ultra-light De Bethune 30'' tourbillon in silicon and titanium <i>De Bethune Innovation (2008)</i>  De Bethune Deadbeat Second <i>De Bethune Innovation (2011)</i>
Frequency:	36'000 vibrations per hour
Adornment:	Silver plate and barrel bridge cover adorned with "Côtes De Bethune" Hand snailed barrels Frame of the barrel bridge in mirror-polished steel Hand-polished, chamfered and flame-blued steel parts



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

### **Display**

Display: Hand-polished flame-blued steel hands  
Ultra-light De Bethune 30'' tourbillon in silicon and titanium at 6 o'clock – *De Bethune Innovation (2008)*  
Power reserve indication at 6 o'clock

Dial and flanges: Grained and engraving sterling silver chapter ring bearing Roman numerals and a minute circle with Arabic numerals

### **Case and strap**

Case material: Mirror-polished grade 5 titanium, platinum bezel

Case diameter: 45 mm

Case thickness: 11,2 mm

Lugs: Short or long floating lugs in mirror-polished grade 5 titanium – *De Bethune Patent (2006)*

Crystal: In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating

Case back: Screwed down closed back in mirror-polished grade 5 titanium

Water resistance: 3 ATM

Strap: Extra-supple alligator leather, alligator lining

Buckle: Ardillon, in mirror-polished grade 5 titanium