



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

Season 3 DB Kind of Two GMT



Season 3

DB Kind of Two GMT

Technical specifications

| | |
|-------------|---|
| Name: | DB Kind of Two GMT |
| Reference: | DBK2V1SB |
| Functions: | Dual front and back display of hours and minutes, jumping seconds, Second time zone (GMT) |
| Movement: | DB2517 |
| Type: | Mechanical hand-wound movement |
| Adjustment: | Winding, setting the time and the GMT, by means of the crown (3 positions) |

Technical features of calibre DB2517

| | |
|------------------|---|
| Number of parts: | 394 |
| Jewelling: | 58 rubis |
| Diameter: | 30 mm |
| Power reserve: | 4 days, ensured by a self-regulating twin barrel <i>De Bethune Innovation (2004)</i> |
| Specificities: | <p>Titanium balance wheel with white gold inserts, optimised for temperature differences and air penetration <i>De Bethune Patent (2016)</i></p> <p>"De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i></p> <p>Silicon escape wheel</p> <p>De Bethune Dead Beat Second De Bethune Innovation (2011)</p> <p>GMT allowing to adjust 2 time zones, different on each side</p> |
| Frequency: | 36,000 vibrations per hour |
| Adornment: | <p>Motion works bridge and concave cover plate in black grade 5 titanium, mirror-polished</p> <p>Black Grade 5 titanium bridge cover with micro-blasted stages</p> <p>Hand snailed barrels</p> <p>Steel parts polished and chamfered by hand</p> |



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

Contemporary single-sided display

| | |
|----------|--|
| Display: | Blued polished titanium hours and minutes indication Minute indication on the periphery Hour indication centered around the balance wheel at 6 o'clock |
| Dial: | Hour ring and black colour minute ring with golden transfer |

Classic reverse side display

| | |
|----------|---|
| Display: | Hand-polished and blued titanium hands for hours and minutes Polished titanium jumping seconds hand |
| Dial: | Black dial with silvered transfer, with convex levels and with a black and blue bi-color guilloché central part |

Case and strap

| | |
|------------------------|---|
| Case material: | Grade 5 titanium / Matte black zirconium |
| Case diameter: | 43,3 mm |
| Case thickness: | 11,4 mm |
| Crown : | at noon on the front side, at 6 o'clock on the reverse side, and integrated into the case |
| Lugs: | Matte black zirconium floating lugs – <i>De Bethune Patent (2006)</i> With case turning mechanism that can be clearly positioned on the front or back side |
| Crystal doubles-sides: | In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating |
| Water resistance: | 3 ATM |
| Strap: | Nubuck velcro |
| Buckle: | Zirconium buckle and matte black grade 5 titanium pin |