



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB25 Starry Varius





DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB25 Starry Varius

Rose Gold version/set

Technical specifications

Name:	DB25 Starry Varius
Reference:	DB25VRDJS3
Functions:	Hours, Minutes
Movement:	DB2005
Type:	Mechanical manual-winding calibre
Adjustment:	Winding and setting the time by means of the crown (2 positions)

Technical features of calibre DB2005

Number of parts:	160
Jewelling:	27 jewels
Diameter:	30 mm
Power reserve:	6 days, ensured by a self-regulating twin barrel <i>De Bethune Innovation (2004)</i>
Specificities:	Titanium balance wheel with white gold inserts, optimized for temperature differences and air penetration <i>De Bethune Patent (2016)</i> "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i> Silicon escape wheel Triple <i>pare-chute</i> shock-absorbing system <i>De Bethune Innovation (2005)</i>
Frequency:	28,800 vibrations per hour
Adornment:	Silver plate and barrel bridge cover adorned with "Côtes <i>De Bethune</i> " Hand-snailed barrels Hand-polished, chamfered steel parts



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

Display

Display:	Hands in hand-polished rose gold
Dial :	De Bethune star-studded sky in blued and polished titanium with hand-fitted white gold pins depicting the stars Milky Way patterns produced by laser beam micro milling, gilded with 24-carat gold leaf Silver-toned hours and minutes ring with polished rose gold hour-markers

Case and strap

Case material:	Rose Gold 5N set with 273 diamonds totaling 1.33 cts
Case diameter:	42 mm
Case thickness:	8,8 mm
Lugs:	Integrated, hollowed lugs
Crystal:	In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Case back:	Open case back in rose gold 5N Sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Water-resistance:	3 ATM
Strap:	Extra-supple alligator leather, alligator lining
Buckle:	Pin buckle in rose gold 5N