

## **DB25 Moon Phase Starry Sky**

**Technical specifications** 





## **DB25 Moon Phase Starry Sky**

**Technical specifications** 

Name: DB25 Moon Phase Starry Sky

Reference: DB25sJWS3

Functions: Hours, Minutes, Spherical moon phase indication at

12 o'clock

Movement: DB2105

Type: Mechanical hand-wound movement

Adjustment: Winding, setting the spherical moon phase and the time by means of

the crown (3 positions)

## Technical features of calibre DB2105

Number of parts: 245
Jewelling: 27 jewels

Diameter: 30 mm

Power reserve: 6 days, ensured by a self-regulating twin barrel

De Bethune Innovation (2004)

Specificities: Silicon annular balance encircled by a white gold ring

De Bethune Patent (2010)

"De Bethune" balance-spring with flat terminal curve

De Bethune Patent (2006)

Silicon escape wheel

Spherical moon phase indication accurate to a degree of one lunar

day every 122 years – De Bethune Patent (2004)

Triple pare-chute shock-absorbing system

De Bethune Innovation (2005)

Frequency: 28,800 vibrations per hour

Adornment: Plate and barrel bridge cover in mirror-polished steel

Hand snailed barrels

Hand-polished, chamfered steel parts



Dis	ام	a	ν

Display: Hand-polished flame-blued steel with white gold insert curved hands

Spherical moon phase indication in palladium and flamed-blued steel set with 44 diamonds and 44 sapphires (sapphires 0.039 cts + diamonds 0.04 cts) with an accuracy with precision of one lunar day

every 122 years at 12 o'clock - De Bethune Patent (2004)

Dial: De Bethune star-studded sky in blued and polished titanium with

hand-fitted white gold pins and 21 diamonds (0.0927 cts) depicting

the stars

Diamond hours markers

Case and strap

Case material: White gold set with 61 baguette-cut blue sapphire(4.80 cts)

Case diameter: 40 mm
Case thickness: 11,7 mm

Lugs: Integrated, hollowed lugs

Crystal: In sapphire crystal (1800 Vickers hardness) with double anti-reflective

coating

Case back: Open back in polished white gold and linear power reserve on the

back

Sapphire crystal (1800 Vickers hardness) with double anti-reflective

coating

Water-resistance: 3 ATM

Strap: Extra-supple alligator leather, alligator lining

Buckle: Pin buckle in white gold