



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

## **DB28 Tourbillon**

Technical specifications



## **DB28 Tourbillon**

### Technical specifications

Name:	DB28 Tourbillon
Reference:	DB28TTIS8N / S
Functions:	Hours, Minutes, 30'' indicator via the ultra-light De Bethune tourbillon cage at 6 o'clock, Power reserve situated on the back
Movement:	DB2019
Type:	Mechanical hand-wound movement
Adjustment:	Winding and setting the time by means of the crown (2 positions)

### ***Technical features of calibre DB2019***

Number of parts:	282
Jewelling:	38 jewels
Diameter:	30 mm
Power reserve:	5 days, ensured by a self-regulating twin barrel <i>De Bethune Innovation (2004)</i>
Specificities:	Silicon escape wheel encircled with a white gold ring <i>De Bethune Patent (2010)</i>  "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i>  Silicon escape wheel  Ultra-light De Bethune 30'' tourbillon in silicon and titanium <i>De Bethune Innovation (2008)</i>
Frequency:	36'000 vibrations per hour
Adornment:	Black polished steel motion-work bridge and barrel bridge Ruthenium plate cover adorned with "Côte De Bethune" Hand snailed barrels Hand-polished and chamfered steel parts



**DE BETHUNE**

L'ART HORLOGER AU XXI<sup>e</sup> SIÈCLE

## **Display**

Display:	Hand-polished stainless steel hands Ultra-light De Bethune 30'' tourbillon in silicon and titanium at 6 o'clock – <i>De Bethune Innovation</i> (2008)
Dial :	Black in mirror-polished steel Mirror-polished and silver-toned minutes ring Black hour ring with black mirror-polished steel markers

## **Case and strap**

Case material:	Mirror-polished grade 5 titanium
Case diameter:	42.6 mm
Case thickness:	9,20 mm
Lugs:	Short or long floating lugs in mirror-polished grade 5 titanium <i>De Bethune Patent</i> (2006)
Crystal:	In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Case back:	Closed and screwed down case back in polished grade 5 titanium that opens on a linear power reserve in rose gold 5N Sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Water resistance:	3 ATM
Strap:	Extra-supple alligator leather, alligator lining
Buckle:	Buckle and ardillon in mirror-polished grade 5 titanium