



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB25XS STARRY VARIUS

Rose Gold version

Technical specifications





DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB25XS STARRY VARIUS

Rose Gold version

Technical specifications

Name:	DB25xs Starry Varius
Reference:	DB25VxsRV2
Functions:	Hours, Minutes
Movement:	DB2005
Type:	Mechanical manual-winding calibre
Adjustment:	Winding and setting the time by means of the crown (2 positions)

Technical features of calibre DB2005

Number of parts:	160
Jewelling:	27 jewels
Diameter:	30 mm
Power reserve:	6 days, ensured by a self-regulating twin barrel De Bethune Innovation (2004)
Specificities:	Titanium balance wheel with white gold inserts, optimised for temperature differences and air penetration De Bethune Patent (2016) "De Bethune" balance-spring with flat terminal curve De Bethune Patent (2006) Silicon escape wheel Triple pare-chute shock-absorbing system De Bethune Innovation (2005)
Frequency:	28,800 vibrations per hour
Adornment:	Silver plate and barrel bridge cover adorned with "Côtes De Bethune" Hand-snail barrels Hand-polished, chamfered steel parts



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

Display

Display:	Hands in hand-polished rose gold
Dial :	De Bethune star-studded sky in burgundy and polished titanium with hand-fitted white gold pins depicting the stars Milky Way patterns produced by laser beam micro milling, gilded with 24-carat gold leaf Silver-toned hours and minutes ring with polished rose gold hour-markers

Case and strap

Case material:	Polished 5N rose gold
Case diameter:	40.6 mm
Case thickness:	8,8 mm
Lugs:	Integrated, hollowed lugs
Crystal:	In sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Case back:	Open case back in polished grade 5 titanium Sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Water-resistance:	3 ATM
Strap:	Extra-supple alligator leather, alligator lining
Buckle:	Polished 5N rose gold ardillon buckle