



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB28xs Yellow Tones





DE BETHUNE
L'ART HORLOGER AU XXI^e SIÈCLE

DB28xs Yellow Tones

Technical specifications

Name:	DB28xs Yellow Tones
Reference:	DB28XSY
Functions:	Hours, Minutes, Power reserve on the back
Movement:	DB2115V14
Type:	Mechanical hand-wound movement
Adjustment:	Winding and setting the time by means of the crown (2 positions)

Technical features of calibre DB2115V14

Number of parts:	244
Jewelling:	36 jewels
Diameter:	30 mm
Power reserve:	6 days, ensured by a self-regulating twin barrel <i>De Bethune Innovation (2004)</i>
Specificities:	Titanium balance with white gold inserts, optimised for temperature differences and air penetration <i>De Bethune Patent (2016)</i> "De Bethune" balance-spring with flat terminal curve <i>De Bethune Patent (2006)</i> Silicon escape wheel Triple <i>pare-chute</i> shock-absorbing system <i>De Bethune Innovation (2005)</i>
Frequency:	28,800 vibrations per hour
Adornment:	Hand-crafted finishing and decoration

Display

Display:	Yellow polished titanium hands
Dial:	Circular satin-finish titanium hours and minutes ring with yellow polished titanium hour-markers Yellow titanium barrel bridge with microlight decoration, sandblasted and polished chamfered contours Yellow polished titanium dial base



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

Case and strap

Case material:	Yellow polished grade 5 titanium
Case diameter:	38.7 mm
Case thickness:	8 mm
Lugs:	Yellow polished grade 5 titanium floating lugs <i>De Bethune Patent (2006)</i>
Crystal:	Sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Case back:	Screwed case back in yellow polished grade 5 titanium opened on a linear power reserve indicator Sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Water resistance:	3 ATM
Strap:	Alligator
Buckle:	Yellow polished grade 5 titanium buckle and pin