



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB25Vxs Silver Moon





DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

DB25Vxs Silver Moon

Technical specifications

Name:	DB25Vxs Silver Moon
Reference:	DB25VxsL
Functions:	Hours, Minutes, Spherical moonphase indication at 12 o'clock
Movement:	DB2105V5
Type:	Mechanical manual-winding calibre
Adjustment:	By the crown at 3 o'clock (3-position adjustment) for winding, setting the moon phase, and setting the time

Technical features of calibre DB2105V5

Number of parts:	249
Jewelling:	27 jewels
Diameter:	30 mm
Power reserve:	6 days, ensured by a self-regulating twin barrel De Bethune Innovation (2004)
Specificities:	Titanium balance wheel with white gold inserts, optimised for temperature differences and air penetration De Bethune Patent (2016) "De Bethune" balance-spring with flat terminal curve De Bethune Patent (2006) Silicon escape wheel Spherical moon phase indication accurate to a degree of one lunar day every 122 years De Bethune Patent (2004) Triple pare-chute shock-absorbing system De Bethune Innovation (2005)
Frequency:	28,800 vibrations per hour
Adornment:	Rhodium-plated bridge cover decorated with "Côtes De Bethune" Flat-polished barrel bridge cover Hand-snailed barrels Handcrafted finishing and decorations



DE BETHUNE

L'ART HORLOGER AU XXI^e SIÈCLE

Display

Display:	Polished rose gold hour and minute hands Spherical moon phase indication in palladium and flamed-blued steel with an accuracy of one lunar day every 122 years at 12 o'clock – De Bethune Patent (2004)
Dial:	Silver-toned hand-guilloché barley-corn motif Moon-phase surround in mirror-polished grade 5 titanium, blued and inlaid with white gold stars

Case and strap

Case material:	Polished grade 5 titanium
Case diameter:	40.6 mm
Case thickness:	11,2 mm
Lugs:	Integrated, hollowed lugs
Crystal:	Sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Case back:	Open case back in polished grade 5 titanium Sapphire crystal (1800 Vickers hardness) with double anti-reflective coating
Water-resistance:	3 ATM
Strap:	Extra-supple alligator leather, alligator lining
Buckle:	Pin buckle in grade 5 titanium